


Multi-apartment door entry unit

Solo KP LCD



GSM 3G Intercom to GSM/PSTN phone communication

Solo KP LCD



Wireless mobile phone communication from
the entry unit to the end user

No cable installations to apartments



Internal unit can be landline or mobile phone



Great savings of time and money

SOLO-KP LCD multi apartment GSM door phone

Solo KP LCD



- 4 line illuminated LCD display
- Stainless steel and powder coating housing
- Stainless steel brushed front plate
- Surface or flush mounting installation
- High-Quality two-way audio communication
- Two alarm inputs and 2 relay outputs
- Two programmable timers built-in
- Time zone for PIN entry codes
- Two Wiegand inputs for additional keypads and/or RFID readers
- RS485 serial communication (optional)
- Up to 20.000 events in onboard memory

Easy to install and simple remote maintenance

Solo KP LCD



Insert SIM card



Connect Power
Supply



Set user phone
numbers

Multi-apartment two-way voice communication

Solo KP LCD



- Add up to two phone numbers per apartment
- Standard version for up to 200 apartments
- Extended up to 500 or 1000 apartments



Call to Open remote output control - Free of charge

Solo KP LCD



- Each user phone number supports also a Call to Open function
- Additionally up to 100 Call to Open numbers for other users



Code lock access control

Solo KP LCD

- Up to 2000 entry codes (keypad, RFID card, RF receiver, ANPR system)
- Up to 100 temporary access entry codes limited by time, date or No. of entries



Configuration – programming and setting parameters

Solo KP LCD

- Easy Set PC Software
 - On-site via USB cable to PC
- Remote configuration using our web server software:
 - Easy Set WEB server www.easysset.eu
 - Easy-Set Web app. for Android smartphones
 - Eis-Ware Web app. on IOS smartphones
 - SMS programming – sending SMS commands to the device (optional)

Management of output remote control

Solo KP LCD

- By pressing DTMF codes on phone's keypad, when the user communicate with a visitor
- Call to Open – all users and additional numbers on the Call to Open list
- Smartphone remote management:
 - Easy Set Control app. on Android phones
 - EISWARE Control app. on IOS phones

